



**INNOVATION, DESIGN
& MANUFACTURE** for
ELECTRICAL APPLIANCES

STROUD IRONING CENTRE

SAFE. UNIQUE. ROBUST. CONVENIENT



- Unique and Patented Design – sliding frame design secures iron
- Convenient, Easy and Safe – swivel, lift out & replace during ironing
- Universal Fitting - Suits and fits almost all iron types and sizes
- Protective Silicon Pad protects sole plate
- System Options – Ironing Centre or Iron Store




Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



ANTI-THEFT CABLE LOCK
on Optional Iron Board Mount Bracket

	PRODUCT RANGE	ART NO		
COMBO 1	STROUD IRONING CENTRE WITH FULL SIZE BOARD & HERTFORD STEAM IRON FULL SIZE IRONING BOARD - SHERINGTON 109 x 38 x 87cm STEAM IRON (BLACK) - HERTFORD 26.6 x 12 x 14cm	EH50586 (EU PLUG) EH50587 (UK PLUG)		
COMBO 2	STROUD IRONING CENTRE WITH COMPACT SIZE BOARD & HERTFORD STEAM IRON COMPACT SIZE IRONING BOARD - MOULTON 97 x 33 x 76cm STEAM IRON (BLACK) - HERTFORD 26.6 x 12 x 14cm	EH50590 (EU PLUG) EH50591 (UK PLUG)		 HERTFORD 1600W Steam Iron
COMBO 3	STROUD IRONING CENTRE WITH FULL SIZE BOARD & YARDLEY DRY IRON FULL SIZE IRONING BOARD - SHERINGTON 109 x 38 x 87cm DRY IRON (BLACK) - YARDLEY 25.7 x 11.4 x 12.6cm	EH50588 (EU PLUG) EH50589 (UK PLUG)		
COMBO 4	STROUD IRONING CENTRE WITH COMPACT SIZE BOARD & YARDLEY DRY IRON COMPACT SIZE IRONING BOARD - MOULTON 97 x 33 x 76cm DRY IRON (BLACK) - YARDLEY 25.7 x 11.4 x 12.6cm	EH50592 (EU PLUG) EH50593 (UK PLUG)		 YARDLEY 1200W Dry Iron

WALL FIX OPTIONS



IRON BOARD HOLDERS

- Stores ironing board efficiently in wardrobe or on wall
- Removable, anti-theft or wall mounted options available

OR CHOOSE FROM THE FOLLOWING IRON BOARD HOLDER OPTIONS AVAILABLE

HYDE IRONING BOARD WALL BRACKET EH50508		SANDHURST UNIVERSAL IRON BOARD HOLDER SECURITY RAIL LOOP EH50566		SANDHURST UNIVERSAL IRON BOARD HOLDER OPEN RAIL HOOK EH50556	
---	--	---	--	---	--



HYDE
WALL HOLDER



SANDHURST
CLOSE LOOP HOOK



SANDHURST
LIFT OFF HOOK

IRONING CENTRE SYSTEM

TOUGH Board Series



- Rugged Tube Frame Legs 38mm/28mm
- Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- Smooth Binding Edges to Withstand Fraying
- Cover Material : Cotton with Felt Underlay
- Cover Colour : Charcoal Grey
- Frame Colour : Silver Grey
- Board Dimensions :
Compact - 97cm x 33cm / Full - 109cm x 38cm
- Maximum Height :
Compact - 76cm / Full - 87cm



HERTFORD
1600W Steam Iron

YARDLEY
1200W Dry Iron



Also Available

REGULAR IRONING BOARD
with Fixed Metal Iron Rest

BROMHAM
(Full size with 1200W Dry Iron)

UK PLUG : EH50441 EU PLUG : EH50442

KINGSMEAD
(Full size with 1600W Steam Iron)

UK PLUG : EH50429 EU PLUG : EH50428

ELSTOW
(Compact size with 1200W Dry Iron)

UK PLUG : EH50443 EU PLUG : EH50444

STAGSDEN
(Compact size with 1600W Steam Iron)

UK PLUG : EH50430 EU PLUG : EH50431


IRONING BOARD & COVER

Engineered Series



- Rugged Tube Frame Legs 38mm/28mm
- Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- Smooth Binding Edges to Withstand Fraying
- Cover Material : Cotton with Felt Underlay
- Cover Colour : Charcoal Grey
- Frame Colour : Silver Grey
- Board Dimensions : 97cm x 33cm
- Maximum Height : 76cm

ROTHWELL (IRONING BOARD) : EH50388
WARKTON (COVER) : EH50387
(Compact size)



SOMERTON

Universal Iron & Board Store



SECURES IRON TO PREVENT FALLING HAZARD
UNIQUE & PATENTED

- Convenient, Easy & Safe - Easy lift in and lift out with frame design to prevent falling hazard
- Universal Fitting - Fits almost all iron types and sizes
- Soft Coated Protective Frame - protects iron from scratches and damage
- Heat Resistant Protective Iron Pad to prevent sole plate damage and absorb heat



SOMERTON
EH50707

J HOOK
EH50708

HERTFORD

1600W Hotel Safety Steam Iron
Black



Also available in



White



- Motion Sensor Auto-Cut Off Safety - 30 Seconds unattended on soleplate and 5 minutes upright
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- ECO Auto Off Function for Energy Saving & Environmental Protection
- FUSION Anti-Leak - New water tank assembly method using wire frame and latest thermo-weld technology, prevents tank fracture
- Non-Stick soleplate
- Plate size: 206mm x 113mm
- Power : AC 220-240V, 50/60Hz
- Weight : 982g

BLACK
UK PLUG : EH50502
EU PLUG : EH50501

WHITE
UK PLUG : EH50547
EU PLUG : EH50546

CROFT

2000W Hotel Safety Steam Iron
Black



EASY STEAM FINGER
Release Button



- Motion Sensor Auto-Cut Off Safety - 30 Seconds unattended on soleplate and 5 minutes upright
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- ECO Auto Off Function for Energy Saving & Environmental Protection
- FUSION Anti-Leak - New water tank assembly method using wire frame and latest thermo-weld technology, prevents tank fracture
- Ceramic Soleplate
- Plate size: 220mm x 120mm
- Power : AC 220-240V, 50/60Hz
- Weight : 1160g

BLACK
UK PLUG : EH50683
EU PLUG : EH50682

YARDLEY

1200W Hotel Safety Dry Iron



- Motion Sensor Auto-Cut Off Safety – 30 Seconds unattended on soleplate and 5 minutes upright
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- ECO Auto Off Function for Energy Saving & Environmental Protection
- Tough Non-Stick Soleplate
- Narrow Front Tip – reaches confined areas
- Plate size: 200mm x 110mm
- Power : AC 220-240V, 50/60Hz
- Weight : 745g

UK PLUG : EH50549
EU PLUG : EH50548

SALFORD DELUXE

1800W Hotel Safety
Hairdryer with Wall
Mount Option



Wall Mounted Hairdryer
Holder with Anti-theft
Cable Track

- Hotel Safety ON/OFF Press Switch to save energy & avoid misuse
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- Generous length cable extends to 250cm
- Power : 1800 Watt (AC220-240V, 50/60Hz)
- Dimensions : 205mm x 90mm x 230mm
- Weight : 495g

UK PLUG : EH50533
EU PLUG : EH50532

- MURSLEY**
- CHROME BLACK - EH50440
 - BLACK - EH50608
 - WHITE - EH50609

THAMES

2000W Hotel Safety
Hairdryer with Wall Mount
Option



Wall Mounted Hairdryer
Holder with Anti-theft
Cable Track



- Hotel Safety ON/OFF Press Switch to save energy & avoid misuse
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- Generous 250 cm Long Extendable COIL cord
- Power : 2000 Watt (220-240V, 50/60Hz)
- Dimensions : 240mm x 85mm x 280mm
- Weight : 615g

UK PLUG : EH50553
EU PLUG : EH50552

- MURSLEY**
- CHROME BLACK - EH50440
 - BLACK - EH50608
 - WHITE - EH50609

MARLOW

1875W Hotel Safety
Foldable Hairdryer with
Wall Mount Option



Wall Mounted Hairdryer
Holder with Anti-theft
Cable Track



- COOL SHOT Button Blasts cool air to help set your style
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- Generous 300 cm Long Extendable COIL cord
- Power : 1875W DC Motor (AC 220/240V)
- Dimensions : 250mm x 95mm x 270mm
- Weight : 695g

UK PLUG : EH50690
EU PLUG : EH50689

- MURSLEY**
- CHROME BLACK - EH50440
 - BLACK - EH50608
 - WHITE - EH50609

HARROW

1600W Folding Hairdryer
Black

Available in



White

UK PLUG : EH50540
EU PLUG : EH50539

MURSLEY



Wall Mounted Hairdryer
Holder with Anti-theft
Cable Track



- Hotel Safety ON/OFF Press Switch to save energy & avoid misuse
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- 1600 Watt Power DC Motor (AC220-240V, 50/60Hz)
- Dimensions : 140mm x 77mm x 231mm
- Weight : 390g

UK PLUG : EH50513
EU PLUG : EH50514

- MURSLEY**
- CHROME BLACK - EH50440
 - BLACK - EH50608
 - WHITE - EH50609

LATHBURY

Hairdryer Bag Black Velvet



- High Quality Black Soft Velvet
- Strong Black PP Drawstring
- Silver Thread Embroidery - HAIRDRYER
- Dimensions : 400mm x 300mm
- Weight : 65g

EH50357

EVESHAM

1.0L Double Wall Safety Insulated Kettle . STC



- Boil Aware 360 : active BLUE boil-on LED pilot ALERT light encircles complete body with 360° glow for added safety awareness during boiling
- Double Layer Safety Insulation - reduces surface heat to help prevent scalding & heat loss
- Illuminated Water window - clear and brightly lit blue LED for greater clarity of water level
- Advanced Technology Isolation Boil Dry
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- ECO-Saves Water & Energy
- 220-240V, 1500-1800W
- Dimensions : 220mm x 143mm x 220mm
- Weight : 930g

UK PLUG : EH50717
EU PLUG : EH50716

MALVERN & CORSHAM

0.5L & 1.0L Brushed Stainless Steel Kettle. STC



MALVERN 0.5L

CORSHAM 1.0L

- Advanced Technology Isolation Boil Dry
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- ECO-Saves Water & Energy
- High Grade SS304 Stainless Steel Body & Heat Plate
- 800-950 Watt (220-240V, 50-60 Hz)
- Dimensions :
185mm x 150mm x 190mm (MALVERN)
197mm x 143mm x 207mm (CORSHAM)
- Weight :
750g (MALVERN)
860g (CORSHAM)



MALVERN 0.5L UK PLUG : EH50634
EU PLUG : EH50635
CORSHAM 1.0L UK PLUG : EH50636
EU PLUG : EH50637

GUILDFORD

0.8L Premium Hotel Kettle Black.EHC



Available in



White



- ECO-Saves Water & Energy – 0.8L & 950 watts
- SS 304 Stainless Steel Heat Boiling Plate
- 870 - 1035W (220-240V, 50/60Hz)
- Dimensions : 187mm x 139mm x 180mm
- Weight : 605g

BLACK
UK PLUG : EH50576
EU PLUG : EH50571
WHITE
UK PLUG : EH50610
EU PLUG : EH50611

TONGWELL

Bamboo Welcome Tray

Also available in



Natural



- First Grade Bamboo Material
- Eco Friendly Bamboo
- Food Grade Safety
- Tray Accomodate Kettle Base Controller of 143mm Diameter
- Designed to fit **EMBERTON™** Kettle
- Dimensions : 260mm x 260mm x 30mm
- Weight : 725g

(Kettle, Cups & Ingredients not included)

BLACK : EH50467
NATURAL : EH50289

WALTON

ABS Welcome Tray



- Wood Grain Handfeel to Reduce Finger Marks
- Removable Perforated Stainless Steel Drip tray to Prevent Spillage
- Tray Accomodates Kettle Base Controller of 143mm Diameter
- Designed to fit **EMBERTON™** Kettle
- Dimensions : 460mm x 230mm x 30.5mm
- Weight : 725g

(Kettle, Cups & Ingredients not included)

EH50175

CAMBOURNE PLUS

Drawer Welcome Tray with Protective Spillage Tray



- Eco-Friendly First Grade Bamboo
- Removable Perforated Stainless Steel Tray - Prevents Spillage & Protects Tray Surface
- Easy Slide In & Out Multiple Compartments Drawer
- Condiment Drawer stores condiments 58mm high
- Designed for use with all **EMBERTON™** kettle types
- Dimensions : 272mm x 194mm x 85mm
- Weight : 1205g

(Kettle, Cups & Ingredients not included)



EH50688


HEYWOOD SLATE

100% Melamine Series
Matt Black

Also available in



Matt White



MAIN TRAY
Dimensions : 358 x 258 x 10mm
Weight : 0.50kgs



SERVICE TRAY
Dimensions : 235 x 110 x 10mm
Weight : 0.135kgs



AMENITY HOLDER
Dimensions : 145 x 75 x 40mm
Weight : 0.130kgs

- Durable Stain, Scratch & Heat Resistant Melamine
- Space Saving Ultra Compact – uses less space
- Certified Food Grade Materials
- Elegant Soft Contour Design
- Easy Wipe Clean Surface
- Robust & Sturdy Construction
- Easy to clean – single surface to wipe clean
- Neat & Tidy Condiments Presentation
- Designed for use with all **EMBERTON™** kettle types

(Kettle, Cups & Ingredients not included)

MATT BLACK

MAIN TRAY : EH50557

SERVICE TRAY : EH50595

AMENITY TRAY : EH50596

MATT WHITE

MAIN TRAY : EH50614

SERVICE TRAY : EH50615

AMENITY TRAY : EH50616

FAIRFORD

Digital Bathroom Scale
Black



Also available in



White



- Toughened Safety Glass 8mm thickness
- Improved Anti-Slip Performance
- Extra Large LCD Display 80 x 40mm
- Dimensions 300mm x 300mm
- Uses 2 x CR2032 Lithium Battery (included)
- Weight range 5 to 180 kgs

BLACK : EH50626
WHITE : EH50627

DISTRIBUTED BY

EMBERTON™

HALSTEAD

Integrated Kettle Welcome Tray
Black



Also available in



White




- Integrated Kettle Slot to Deter Theft
- Durable Stain, Scratch & Heat Resistant Melamine
- Space Saving Ultra Compact – uses less space
- Elegant Soft Contour Design
- Easy to clean – single surface to wipe clean
- Designed for use with all **EMBERTON™** kettle types
- Tray accommodates kettle base controller of 143mm Diameter
- Dimensions : 262mm x 262mm x 30mm
- Weight : 0.65kgs

(Kettle, Cups & Ingredients not included)

BLACK : EH50617
WHITE : EH50618

ASHTON

Digital Bathroom Scale



- Toughened Safety Glass 8mm thickness
- Large LCD Display 75mm x 31mm
- Dimensions 300mm x 300mm
- Uses 2 x AAA Batteries (included)
- Weighs up to 180 kgs

EH50358



© 2019 All Rights Reserved.

www.emberton.com